


In the claims:

1. (Currently amended) A compound of Formula I:



wherein:

R1a and R1b are independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C₁-C₁₀ alkyl,
- 3) OR³,
- 4) N(R³)₂,
- 5) unsubstituted or substituted aryl,
- 6) unsubstituted or substituted heterocycle, and
- 7) unsubstituted or substituted C₃-C₁₀ cycloalkyl;

R1c is independently selected from:

- 1) hydrogen,
- 2) C₁-C₁₀ alkyl,
- 3) OR³,
- 4) N(R³)₂,
- 5) C₃-C₁₀ cycloalkyl,
- 6) aryl, and
- 7) heterocycle;

said alkyl, cycloalkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from R⁷;

R² is independently selected from:

- 1) N(R³)₂, and
- 2) OR³;


R³ is independently selected from:

- 1) hydrogen, and
- 2) C₁-C₁₀ alkyl;

said alkyl is optionally substituted with at least one substituent selected from R⁷ with OR, where R is H or C₁-C₁₀ alkyl;

R⁵ is independently selected from:

- 1) hydrogen,
- 2) halogen,
- 3) -(CR¹c₂)_nOR³,
- 4) -(CR¹c₂)_nR⁶,
- 5) -C(O)OR³,
- 6) -C(O)R³,
- 7) -C≡CR³,
- 8) -R³C=C(R³)₂,
- 9) -OS(O)_mR⁶,
- 10) -NO₂,
- 11) -(CR¹c₂)_nN(R³)₂,
- 12) -N(R³)C(O)R³,
- 13) -N(R³)S(O)_mR⁶,
- 14) -(CR¹c₂)_nNR³(CR¹c₂)_nC(O)NR³₂,
- 15) -O(CR¹c₂)_nC(O)N(R³)₂,
- 16) -O(CR¹c₂)_nC(O)OR³,
- 17) -NR³(CR¹c₂)_nN(R³)₂,
- 18) -(CR¹c₂)_nNR³R⁶OR³,
- 19) -S(O)_mR⁶,
- 20) -S(O)_mN(R³)₂,
- 21) -CN,
- 22) -(CR¹c₂)_nN(R³)(CR¹c₂)_nR⁶, and



R⁶ is independently selected from:

- 1) C₁-C₁₀ alkyl,
- 2) C₃-C₁₀ cycloalkyl,
- 3) aryl, and
- 4) heterocycle;

said, alkyl, cycloalkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from R⁷;

R⁷ is independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C₁-C₁₀ alkyl,
- 3) unsubstituted or substituted C₃-C₁₀ cycloalkyl,
- 4) unsubstituted or substituted aryl,
- 5) halogen,
- 6) OR³,
- 7) CF₃,
- 8) unsubstituted or substituted heterocycle,
- 9) S(O)_mN(R³)₂,
- 10) C(O)OR³,
- 11) C(O)R³,
- 12) CN,
- 13) C(O)N(R³)₂,
- 14) N(R³)C(O)R³,
- 15) S(O)_mR⁶, and
- 16) NO₂;

Y and Z are independently selected from:

- 1) hydrogen,
- 2) R⁶,
- 3) OR³,
- 4) N(R³)₂,
- 5) C(O)OR³,

- 6) $C(O)N(R^3)_2$,
- 7) $C(O)R^3$,
- 8) halogen,
- 9) $N(R^3)(CR^{1c}_2)_n C(O)N(R^3)_2$,
- 10) $S(O)_m N(R^3)_2$,
- 11) $N(R^3)C(O)OR^3$,
- 12) $N(R^3)S(O)_m R^6$,
- 13) $N(R^3)C(O)R^3$,
- 14) $N(R^3)(CR^{1c}_2)_n R^3$,
- 15) $S(O)_m R^6$,
- 16) $R^6 S(O)_m N(R^3)_2$,
- 17) $R^6 S(O)_m R^6$,
- 18) $N(R^3) S(O)_m (CR^{1c}_2)_n R^6$,
- 19) $N(R^3)S(O)_m R^6 OR^3$,
- 20) $N(R^3)C(O)N(R^3)_2$,
- 21) $N(R^3)C(O)R^6 OR^3$,
- 22) $N(R^3)(CR^{1c}_2)_n R^6 OR^3$,
- 23) $N(R^3)OR^3$, and
- 24) $N(R^3)S(O)_m R^6 NO_2$;

m is independently 0, 1 or 2;

n is independently 0 to 6;

s is 0 to 6;

t is 0 to 6;

~~w is 0 to 4;~~

or a pharmaceutically acceptable salt or stereoisomer thereof.

2. (Currently amended) The compound according to Claim 1,
wherein:

R^{1a} and R^{1b} are independently selected from:

- 1) hydrogen,
- 2) unsubstituted or substituted C₁-C₁₀ alkyl,

- 3) unsubstituted or substituted aryl,
- 4) unsubstituted or substituted heterocycle, and
- 5) OR^3 ;

R^{1c} is independently selected from:

- 1) hydrogen,
- 2) C_1 - C_{10} alkyl,
- 3) OR^3 ,
- 4) $N(R^3)_2$,
- 5) aryl, and
- 6) heterocycle;

said alkyl, aryl and heterocycle is optionally substituted with at least one substituent selected from R^7 ;

R^2 is:

- 1) OR^3 , or
- 2) $N(R^3)_2$;

R^3 is independently selected from:

- 1) hydrogen, and
- 2) C_1 - C_{10} alkyl;

said alkyl is optionally substituted with ~~at least one substituent selected from R^7~~ OR , where R is H or C_1 - C_{10} alkyl;

R^5 is independently selected from:

- 1) ~~hydrogen~~;
- 2) halogen,
- 3) $-OR^3$,
- 4) $-C(O)OR^3$,
- 5) $-C(O)R^3$,
- 6) $-C\equiv CR^3$,
- 7) $-R^3C=C(R^3)_2$,
- 8) $-OS(O)_mR^6$,
- 9) $-NO_2$,

- 10) $-N(R^3)_2$,
- 11) $-N(R^3)C(O)R^3$,
- 12) $-N(R^3)S(O)_mR^6$,
- 13) $-(CR^{1c}_2)_nNR^3(CR^{1c}_2)_nC(O)NR^3_2$,
- 14) $-O(CR^{1c}_2)_nC(O)N(R^3)_2$,
- 15) $-O(CR^{1c}_2)_nC(O)OR^3$,
- 16) $-NR^3(CR^{1c}_2)_nN(R^3)_2$,
- 17) $-(CR^{1c}_2)_nNR^3R^6OR^3$,
- 18) $-S(O)_mR^6$,
- 19) $-S(O)_mN(R^3)_2$,
- 20) $-CN$, and
- 21) $-(CR^{1c}_2)_nN(R^3)(CR^{1c}_2)_nR^6$;

or a pharmaceutically acceptable salt or stereoisomer thereof.

3. (Currently Amended) The compound according to Claim 2,
wherein:

R^{1a} and R^{1b} are independently selected from hydrogen, unsubstituted or substituted C_1 - C_{10} alkyl, OR^3 , and unsubstituted or substituted aryl;

R^{1c} is independently selected from:

- 1) hydrogen,
- 2) C_1 - C_{10} alkyl,
- 3) OR^3 , and
- 4) aryl;

said alkyl and aryl is optionally substituted with at least one substituent selected from R^7 ;

R^2 is:

- 1) OR^3 , or
- 2) $N(R^3)_2$;

R^5 is independently selected from:

- 1) ~~hydrogen~~,
- 2) $(CR^{1c}_2)_nR^6$,

- 3) halogen,
- 4) $-(CR^{1c_2})_nOR^3$,
- 5) $-C(O)OR^3$,
- 6) $-C(O)R^3$,
- 7) $-C\equiv CR^3$,
- 8) $-R^3C=C(R^3)_2$,
- 9) $(CR^{1c_2})_nC(O)N(R^3)_2$, and
- 10) $(CR^{1c_2})_nN(R^3)_2$;

Y is:

- 1) hydrogen,
- 2) R^6 ,
- 3) OR^3 ,
- 4) $C(O)R^3$,
- 5) $C(O)N(R^3)_2$, or
- 6) $N(R^3)_2$;

Z is:

- 1) hydrogen,
- 2) R^6 ,
- 3) OR^3 ,
- 4) $N(R^3)_2$,
- 5) $C(O)OR^3$,
- 6) $C(O)N(R^3)_2$,
- 7) $C(O)R^3$,
- 8) halogen,
- 9) $N(R^3)(CR^{1c_2})_nC(O)N(R^3)_2$,
- 10) $S(O)_mN(R^3)_2$,
- 11) $N(R^3)C(O)OR^3$,
- 12) $N(R^3)S(O)_mR^6$,
- 13) $N(R^3)C(O)R^3$,
- 14) $N(R^3)(CR^{1c_2})_nR^3$, or
- 15) $S(O)_mR^6$;

n is independently 0 to 4;

or a pharmaceutically acceptable salt or stereoisomer thereof.

4. (Previously presented) A compound selected from:

5-Chloro-3-[(methylamino)sulfonyl]-1*H*-indole-2-carboxamide;

3-(Aminosulfonyl)-5-chloro-1*H*-indole-2-carboxamide;

5-Bromo-3-({methyl[(5-oxo-4,5-dihydro-1*H*-1,2,4-triazol-3-yl)methyl] amino}
sulfonyl)-1*H*-indole-2-carboxamide;

3-({[2-(Aminosulfonyl)ethyl]amino} sulfonyl)-5-iodo-1*H*-indole-2-carboxamide;

3-[(Dimethylamino)sulfonyl]-5-methoxy-1*H*-indole-2-carboxamide;

5-Chloro-3-{{(2-phenethyl)amino} sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-[(benzylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(cyclohexylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(1-naphthylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[(3-phenylpropyl)amino] sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-[(ethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(propylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(butylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(pentylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-{{[ethyl(methyl)amino] sulfonyl}-1*H*-indole-2-carboxamide;

5-Chloro-3-[(diethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(*iso*-propylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(cyclobutylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(cyclopentylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(4-chlorophenyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(3-chlorophenyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(2-chlorophenyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(4-chlorophenyl)methylamino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(3-chlorophenyl)methylamino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(2-chlorophenyl)methylamino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(*tert*-butylamino)sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-[(pyrrolidin-3-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(piperidin-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(1-methyl-1*H*-benzimidazol-2-yl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(benzamideamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(5-aminotetrazole)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(pyridin-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(pyridin-2-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(2-methoxyethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(dimethylamino)sulfonyl]-1*H*-indole-2-carboxamide;

3-([2-(Aminosulfonyl)ethyl]amino)sulfonyl]-5-chloro-1*H*-indole-2-carboxamide;

5-Chloro-3-[[[(2-hydroxyethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3- {[(2-morpholin-4-ylethyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
5-Chloro-3- {[(2-methoxyethyl)(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
5-Bromo-3- [{ [2-(2-acetamide)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;
N- { [2-(Aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl} -*N*-methyl- β -alaninamide;
5-Bromo-3- [(methylamino)sulfonyl] -1*H*-indole-2-carboxamide;
Ethyl *N*- { [2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl} *N*-methyl- β -alaninate;
5-Bromo-3- {[cyclopropyl(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
(\pm)-5-Bromo-3- {[methyl(tetrahydrofuran-3-yl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
5-Bromo-3- ({methyl[2-(1*H*-1,2,4-triazol-1-yl)ethyl]amino} sulfonyl) -1*H*-indole-2-carboxamide;
5-Bromo-3- {[methyl(tetrahydro-2*H*-pyran-4-yl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
(\pm)-5-Bromo-3- {[(1,4-dioxan-2-ylmethyl)(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
3- ({ [4-(Aminosulfonyl)benzyl]amino} sulfonyl) -5-bromo-1*H*-indole-2-carboxamide;
5-Chloro-3- {[*iso*-propyl(2-methoxyethyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
3- {[(2-Bromoethyl)(2-hydroxyethyl)amino]sulfonyl} -5-hydroxy-1*H*-indole-2-carboxamide;
3- {[(2-Bromoethyl)(2-hydroxyethyl)amino]sulfonyl} -5-methoxy-1*H*-indole-2-carboxamide;
5-Chloro-3- {[methoxy(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
(\pm)-5-Chloro-3- {[(2,3-dihydroxypropyl)(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
5-Chloro-3- {[(2-hydroxyethyl)(methyl)amino]sulfonyl} -1*H*-indole-2-carboxamide;
N- { [2-(Aminocarbonyl)-5-chloro-1*H*-indol-3-yl]sulfonyl} -*N*-methylglycine;
N- { [2-(Aminocarbonyl)-5-chloro-1*H*-indol-3-yl]sulfonyl} -*N*-methylglycinamide;
5-Bromo-3- ({ [4-(methylsulfonyl)benzyl]amino} sulfonyl) -1*H*-indole-2-carboxamide;
3- [({ [2-[4-(Aminosulfonyl)phenyl]ethyl} amino)sulfonyl] -5-bromo-1*H*-indole-2-carboxamide;

3-{{(5-Amino-5-oxopentyl)amino}sulfonyl}-5-bromo-1*H*-indole-2-carboxamide;

3-{{[2-(Aminosulfonyl)ethyl]amino}sulfonyl}-5-bromo-1*H*-indole-2-carboxamide;

tert-Butyl 2-{{[2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl}amino)-ethylcarbamate;

3-{{(2-Aminoethyl)amino}sulfonyl}-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(ethylsulfonylamino)ethylamino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Iodo-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1 *H*-indole-2-carboxamide;

5-Bromo-3-{{[methoxy(methyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Fluoro-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)(methyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(4-nitrophenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(2-{{(4-methoxyphenyl)amino}carbonyl}amino)ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(3-{{(4-chlorophenyl)thio}propyl}amino)sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-{{(3-{{(4-chlorophenyl)thio}propyl}amino)sulfonyl}-1 *H*-indole-2-carboxamide;

5-Bromo-3-{{(3-{{(4-chlorophenyl)sulfonyl}propyl}amino)sulfonyl}-1 *H*-indole-2-carboxamide;

5-Bromo-3-{{(propylsulfonylamino)ethylamino}sulfonyl}-1*H*-indole-2-carboxamide hydrochloride;

5-Bromo-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(phenylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(methylsulfonyl)amino]ethyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

3-[(2-[(Benzylsulfonyl)amino]ethyl)amino)sulfonyl]-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(3-methoxyphenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(2,5-dimethoxyphenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(5-bromo-2-methoxyphenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-(trifluoromethoxy)phenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-methoxy-5-methylphenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-cyanophenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-chlorophenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-[(3,4-dimethoxyphenyl)sulfonyl]amino)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-[(phenylsulfonyl)amino]propyl)amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3- {[(3- {[(4-methoxyphenyl)sulfonyl]amino}propyl)amino)sulfonyl] -1*H*-indole-2-carboxamide;

3- [({3- [(Benzylsulfonyl)amino]propyl} amino)sulfonyl] -5-bromo-1*H*-indole-2-carboxamide;

3- [({2- [(Aminocarbonyl)amino]ethyl} amino)sulfonyl] -5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3- {[(2- {[(4-bromophenyl)sulfonyl]amino}ethyl)amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- [({2- [(thien-3-ylsulfonyl)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- {[(2- {[(3-chlorobenzyl)sulfonyl]amino}ethyl)amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- {[(2- {[(2-phenylethyl)sulfonyl]amino}ethyl)amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- [({2- [(4-methoxybenzoyl)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- [({2- [(4-methoxybenzyl)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- [({2- [(4-methoxyphenyl)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3- [({2- [(4-methoxyphenyl)(methylsulfonyl)amino]ethyl} amino)sulfonyl] -1*H*-indole-2-carboxamide;

3- [({2- [Acetyl(4-methoxyphenyl)amino]ethyl} amino)sulfonyl] -5-bromo-1*H*-indole-2-carboxamide;

5-Iodo-3- {[cyclopropyl(methyl)amino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Iodo-3- [(cyclopropylamino)sulfonyl] -1*H*-indole-2-carboxamide;

5-Bromo-3-[(cyclopropylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-Iodo-3-[[methoxy(methyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Iodo-3-[[[(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Iodo-3-[[methyl(tetrahydro-2*H*-pyran-2-ylmethyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-([2-(tert-butylthio)ethyl]amino)sulfonyl]-1-*H*-indole-2-carboxamide;

5-chloro-3-[[methyl(tetrahydro-2*H*-pyran-4-yl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-([1-(2,3-dihydro-1,4-benzodioxin-2-yl)ethyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-[(tetrahydro-2*H*-pyran-4-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-[[1,4-dioxan-2-ylmethyl](methyl)amino]sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-([3-methyloxetan-3-yl)methyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-[(tetrahydrofuran-3-ylamino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-([1,1-dioxidotetrahydrothien-3-yl)methyl]amino)sulfonyl]-1*H*-indole-2-carboxamide;

5-chloro-3-({[2-(3-phenyl-1*H*-1,2,4-triazol-5-yl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({[2-(2-methoxyphenyl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({[3-(trifluoromethyl)benzyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({[2-(2,3-dihydro-1*H*-indol-1-yl)ethyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-({methyl[(1-methylpiperidin-3-yl)methyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-chloro-3-{{(2,3-dihydro-1,4-benzodioxin-2-ylmethyl) amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-bromo-3-{{(3-ethoxypropyl) amino}sulfonyl}-1*H*-indole-2-carboxamide;

3-[({[2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl} amino) methyl]-1-benzylpyrrolidine;

5-bromo-3-({[(1-benzylpyrrolidin-3-yl)methyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-bromo-3-{{(3-pyridin-3-ylpropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

1-[2-({[2-(aminocarbonyl)-5-bromo-1*H*-indol-3-yl]sulfonyl} amino)ethyl]-4-phenylpiperidine;

5-bromo-3-{{(3-cyclohexylpropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-bromo-3-{{(4,4-diphenylbutyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-bromo-3-{{(3-butoxypropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-bromo-3-{{(6,7,8,9-tetrahydro-5*H*-benzo[*a*][7]annulen-7-ylmethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide;

5-bromo-3-({[3-(3,5-dimethyl-1*H*-pyrazol-1-yl)propyl]amino}sulfonyl)-1*H*-indole-2-carboxamide;

5-bromo-3-({[3-(4-tert-butoxyphenyl)propyl]amino} sulfonyl)-1*H*-indole-2-carboxamide;

5-bromo-3-({[4-(4-tert-butoxyphenyl)butyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-({[(2-methoxy-1-methylethyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[(4-phenylbutyl)amino]sulfonyl}-1H-indole-2-carboxamide;

5-bromo-3-({[2-[(2,6-dichlorobenzyl)thio]ethyl]amino)sulfonyl}-1H-indole-2-carboxamide;


5-bromo-3-({[2-(tert-butylthio)ethyl]amino}sulfonyl)-1H-indole-2-carboxamide;

5-bromo-3-({[6-[(4-chlorobenzyl)amino]-6-oxohexyl]amino)sulfonyl}-1H-indole-2-carboxamide;


or a pharmaceutically acceptable salt or stereoisomer thereof.

5. (Original) The compound according to Claim 4, that is selected from:


5-Chloro-3-({[ethyl(methyl)amino]sulfonyl}-1H-indole-2-carboxamide




(±)-5-Bromo-3-({[methyl(tetrahydrofuran-3-yl)amino]sulfonyl}-1H-indole-2-carboxamide




3-({[2-(Aminosulfonyl)ethyl]amino}sulfonyl)-5-bromo-1H-indole-2-carboxamide




5-Bromo-3-{{(2-{{(4-methoxyphenyl)sulfonyl}amino}ethyl)amino}sulfonyl}-1*H*-indole-2-carboxamide




5-bromo-3-{{(3-butoxypropyl)amino}sulfonyl}-1*H*-indole-2-carboxamide



5-bromo-3-({[3-(4-tert-butoxyphenyl)propyl]amino}sulfonyl)-1*H*-indole-2-carboxamide



5-chloro-3-({[2-(3-phenyl-1*H*-1,2,4-triazol-5-yl)ethyl]amino} sulfonyl)-1*H*-indole-2-carboxamide



or a pharmaceutically acceptable salt or stereoisomer thereof.

6. (Original) A pharmaceutical composition which is comprised of a compound in accordance with Claim 1 and a pharmaceutically acceptable carrier.

7. (Withdrawn) A method of modulating the catalytic activity of protein kinases in a mammal in need thereof comprising contacting the protein kinase with a compound of Claim 1.

8. (Withdrawn) The method of Claim 7 wherein the protein kinase is an RTK.

9. (Withdrawn) The method of Claim 8, wherein the RTK is selected from IR, IGF-1R and IRR.

10. (Withdrawn) A method of treating or preventing a PK-related disorder in a mammal in need thereof comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

11. (Withdrawn) A method of Claim 10, wherein the PK-related disorder is an IGF-1R-related disorder selected from:

- 1) cancer,
- 2) diabetes,
- 3) an autoimmune disorder,
- 4) a hyperproliferation disorder,
- 5) aging,
- 6) acromegaly, and
- 7) Crohn's disease.

12. (Withdrawn) A method of treating cancer in a mammal in need of such treatment comprising administering to said mammal a therapeutically effective amount of a compound of Claim 1.

13. (Withdrawn) A method of treating retinal vascularization comprising administering to a mammal in need of such treatment a therapeutically effective amount of a compound of Claim 1.

14. (Withdrawn) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with a second compound selected from:

- 1) an estrogen receptor modulator,
- 2) an androgen receptor modulator,
- 3) retinoid receptor modulator,
- 4) a cytotoxic agent,
- 5) an antiproliferative agent,
- 6) a prenyl-protein transferase inhibitor,
- 7) an HMG-CoA reductase inhibitor,
- 8) an HIV protease inhibitor,
- 9) a reverse transcriptase inhibitor, and
- 10) an angiogenesis inhibitor.

15. (Withdrawn) The method of Claim 14, wherein the second compound is an estrogen receptor modulator selected from tamoxifen and raloxifene.

16. (Withdrawn) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 in combination with radiation therapy.

17. (Withdrawn) The method of Claim 16 wherein radiation therapy is also administered.

18. (Withdrawn) A method of treating cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and paclitaxel or trastuzumab.

19. (Withdrawn) A method of treating or preventing cancer which comprises administering a therapeutically effective amount of a compound of Claim 1 and a GPIIb/IIIa antagonist.

20. (Canceled)

21. (Canceled)

22. (Canceled)

23. (Canceled)